PanelView to MicroLogix Cable

(Catalog No. 2711-NC21, -NC22)

Applications	Use the 2711-NC21 and -NC22 communication cables to connect Micrologix controllers to the serial communications port on PanelView terminals. Both cables have the same connections, the differences are in the lengths: • 2711-NC21 - 5 meters (16.4 ft) • 2711-NC22 - 15 meters (49.2 ft)						
				Cable Diagram	The cables have an 8-pin mini DIN connector compatible with the communication port on a Micrologix controller. The other end of the cable is a 9-pin D shell connector compatible with the PanelView serial communications port.		
					8-pin Mini DIN	2711-NC21 - 5 Meters	9-pin D Shell
8-pin Mini DIN	9-pin D Shell						
1	No Connection						
2	5						
3	8						
4	2						
5	1						
6	7						
7	3						

8

No Connection

No Connection No Connection

Shield

No Connection

9

Shield

4 🗲 6 🗲



www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204-2496 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444 Europe/Middle East/Africa: Rockwell Automation, Vorstlaan/Boulevard du Souverain 36, 1170 Brussels, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640 Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846