# CERTIFICATE OF COMPLIANCE

| | |
|---|---|
| **Certificate Number** | 20170706-E318496 |
| **Report Reference** | E318496-20071221 |
| **Issue Date** | 2017-JULY-06 |

**Issued to:** ROCKWELL AUTOMATION INC

LV Drives Business
6400 W Enterprise Dr
Mequon, WI 53092 USA

**This is to certify that representative samples of** MULTI-POINT INTERCONNECTION POWER CABLE ASSEMBLIES FOR INDUSTRIAL MACHINERY

See Addendum Page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL Subject 2237 - Outline of Investigation for Multi-Point Interconnection Power Cable Assemblies for Industrial Machinery

**Additional Information:** See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Products Covered | Product Designation |
|---|---|
| Feeder-tap power cable fittings: Reducers | 280-RA35 |
| Feeder-tap power cable fittings: Tees | 280-T35 |
| | 280-RT35 |
| Male and female panel-mounted power conductor fittings | 280-M22M-M# |
| | 280-M22F-M# |
| | 280S-M22M-M# |
| | 280S-M22F-M# |
| | 280-M24M-M# |
| | 280-M24F-M# |
| | 280S-M24M-M# |
| | 280S-M24F-M# |
| | 40754-077-53 |
| | 40754-078-54 |

Note: @ = a three-digit number from 001 to 100
Note: # = any number combination from 1-999

| | |
|---|---|
| Male and female panel-mounted power conductor fittings | 280-M35M-M# |
| | 280-M35F-M# |
| | 280S-M35M-M# |
| | 280S-M35F-M# |
| | 40754-078-56 |
| Power cable assemblies, male and female power cable fittings | 280-PWRM22E-M# |
| | 280-PWRM22F-M# |
| | 280-PWRM22G-M# |
| | 280-PWRM22H-M# |
| | 280-PWRM22A-M# |
| | 280-PWRM22B-M# |
| | 280-PWRM22C-M# |
| | 280-PWRM22D-M# |
| | 280S-PWRM22E-M# |
| | 280S-PWRM22F-M# |
| | 280S-PWRM22G-M# |
| | 280S-PWRM22H-M# |

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| | 280S-PWRM22A-M# |
| | 280S-PWRM22B-M# |
| | 280S-PWRM22C-M# |
| | 280S-PWRM22D-M# |
| | 280-PWRM24E-M# |
| | 280-PWRM24F-M# |
| | 280-PWRM24G-M# |
| | 280-PWRM24H-M# |
| | 280-PWRM24A-M# |
| | 280-PWRM24B-M# |
| | 280-PWRM24C-M# |
| | 280-PWRM24D-M# |
| | 280S-PWRM24E-M# |

Note: YYY = a three-digit number from 000 to 999
Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

| Products Covered | Product Designation |
|---|---|
| Power cable assemblies, male and female power cable fittings | 280S-PWRM24F-M# |
| | 280S-PWRM24G-M# |
| | 280S-PWRM24H-M# |
| | 280S-PWRM24A-M# |
| | 280S-PWRM24B-M# |
| | 280S-PWRM24C-M# |
| | 280S-PWRM24D-M# |

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Power cable assemblies, male and female power cable fittings | 280-PWRM35E-M# |
| | 280-PWRM35F-M# |
| | 280-PWRM35G-M# |
| | 280-PWRM35H-M# |
| | 280-PWRM35A-M# |
| | 280-PWRM35B-M# |
| | 280-PWRM35C-M# |
| | 280-PWRM35D-M# |
| | 280S-PWRM35E-M# |
| | 280S-PWRM35F-M# |
| | 280S-PWRM35G-M# |
| | 280S-PWRM35H-M# |
| | 280S-PWRM35A-M# |
| | 280S-PWRM35B-M# |
| | 280S-PWRM35C-M# |
| | 280S-PWRM35D-M# |
| Feeder-tap power cable fittings: Reducers | 280S-RA35 |
| Feeder-tap power cable fittings: Tees | 280S-RT35 |
| | 280S-T35 |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Mini change field attachable series | 280-FAM22M |
| | 280-FAM22F |
| Quick change field attachable series | 280-FAM35M |
| | 280-FAM35F |
| Power cable assemblies, male and female power cable fittings | 284-PWRM22E-M# |
| | 284-PWRM22F-M# |
| | 284-PWRM22G-M# |
| | 284-PWRM22H-M# |
| | 284-PWRM22A-M# |
| | 284-PWRM22B-M# |
| | 284-PWRM22C-M# |
| | 284-PWRM22D-M# |
| | 284S-PWRM22E-M# |
| | 284S-PWRM22F-M# |
| | 284S-PWRM22G-M# |
| | 284S-PWRM22H-M# |
| | 284S-PWRM22A-M# |
| | 284S-PWRM22B-M# |
| | 284S-PWRM22C-M# |
| | 284S-PWRM22D-M# |
| | 40754-275-03 |
| | 285-DBK22-M# |
| | 40754-275-04 |
| | 40754-275-08 |
| | 40754-275-01 |
| | 40754-275-05 |
| | 40754-275-02 |
| | 40754-275-06 |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Power cable assemblies, male and female power cable fittings | 40754-342-01 |
| | 285-DBK22-M#D |
| | 40754-342-05 |
| | 40754-342-09 |
| | 40754-342-13 |
| | 40754-342-17 |
| | 40754-342-21 |
| | 40754-342-25 |
| | 40754-342-02 |
| | 40754-342-06 |
| | 40754-342-10 |
| | 40754-342-14 |
| | 40754-342-18 |
| | 40754-342-22 |
| | 40754-342-26 |
| | 40754-342-03 |
| | 40754-342-07 |
| | 40754-342-11 |
| | 40754-342-15 |
| | 40754-342-19 |
| | 40754-342-23 |
| | 40754-342-27 |
| | 40754-342-04 |
| | 40754-342-08 |
| | 40754-342-12 |
| | 40754-342-16 |
| | 40754-342-20 |
| | 40754-342-24 |
| | 40754-342-28 |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Power cable assemblies, male and female power cable fittings | 284-PWRM35E-M# |
| | 284-PWRM35F-M# |
| | 284-PWRM35G-M# |
| | 284-PWRM35H-M# |
| | 284-PWRM35A-M# |
| | 284-PWRM35B-M# |
| | 284-PWRM35C-M# |
| | 284-PWRM35D-M# |
| | 284S-PWRM35E-M# |
| | 284S-PWRM35F-M# |
| | 284S-PWRM35G-M# |
| | 284S-PWRM35H-M# |
| | 284S-PWRM35A-M# |
| | 284S-PWRM35B-M# |
| | 284S-PWRM35C-M# |
| | 284S-PWRM35D-M# |
| Male and female panel-mounted power conductor fittings | 40754-077-51 |
| | 40754-078-51 |
| | 40754-078-55 |
| | 40754-250-05 |
| | 40754-085-02 |
| | 40754-249-03 |
| | 40754-249-07 |
| | 40754-249-11 |
| | 40754-249-15 |
| | 40754-249-19 |
| | 40754-249-23 |
| | 40754-249-27 |
| | 285-M25M-M# |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Power cable assemblies, male and female power cable fittings | 40754-274-03 |
| | 40754-274-07 |
| | 40754-274-11 |
| | 40754-274-15 |
| | 40754-274-19 |
| | 40754-274-23 |
| | 40754-274-27 |
| | 285-BRC25-M# |
| | 285-BRC25-M03D# |
| | 285-BRC24-M# |
| | 285-BRC22-M# |
| | 285-BRC24-M# |
| | 285-BRC22-M# |
| | 285-BRC25-M# |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

| | |
|---|---|
| Male and female panel-mounted power conductor fittings | 280-M35F-M3 |
| | 280-M35M-M3 |
| | 285-M24M-M05 |
| | 285-M25M-M05 |
| | 284-M24MS-M05 |
| | 284-M24MS-M# |
| | 284-M22MS-M# |

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Power cable assemblies, male and female power cable fittings | 285-BRC24-M#D |
| | 285-BRC22-M#D |
| | 285-BRC25-M#D |
| | 284-PWRM24G-M1 |
| | 284-PWRM24G-M3 |
| | 284-PWRM24G-M6 |
| | 284-PWRM24G-M8 |
| | 284-PWRM24G-M10 |
| | 284-PWRM24G-M12 |
| | 284-PWRM24G-M14 |
| | 284-PWRM24A-M1 |
| | 284-PWRM24A-M3 |
| | 284-PWRM24A-M6 |
| | 284-PWRM24A-M8 |
| | 284-PWRM24A-M10 |
| | 284-PWRM24A-M12 |
| | 284-PWRM24A-M14 |
| | 285-BRC22D-MXXX |

Note: XXX = a three-digit number from 000 to 999
Note: # = any number combination from 1-999

| | |
|---|---|
| Male Cable Fitting | 284-PWRM29G-M05 |
| | 284-PWRM29G-M1 |
| | 284-PWRM29G-M015 |
| | 284-PWRM29G-M2 |
| | 284-PWRM29G-M3 |
| | 284-PWRM29G-M4 |
| | 284-PWRM29G-M6 |
| | 284-PWRM29G-M8 |
| | 284-PWRM29G-M10 |
| | 284-PWRM29G-M12 |
| | 284-PWRM29G-M14 |

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170706-E318496
**Report Reference** E318496-20071221
**Issue Date** 2017-JULY-06

| | |
|---|---|
| Cable Assembly | 284-PWRM29A-M05 |
| | 284-PWRM29A-M1 |
| | 284-PWRM29A-M015 |
| | 284-PWRM29A-M2 |
| | 284-PWRM29A-M3 |
| | 284-PWRM29A-M4 |
| | 284-PWRM29A-M6 |
| | 284-PWRM29A-M8 |
| | 284-PWRM29A-M10 |
| | 284-PWRM29A-M12 |
| | 284-PWRM29A-M14 |
| Panel Mount Male and female | 284-M29F-M03 |
| | 284-M29M-M03 |
| | PN-393428 |
| | PN-393429 |
| | PN-393430 |

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/