Australian Declaration of Conformity

The undersigned, representing the Manufacturer: ***Rockwell Automation Inc.*** ***1201 South 2nd Street*** ***Milwaukee, WI 53204*** ***U.S.A.***	*and the Authorised Supplier within Australia:* ***Rockwell Automation Australia Ltd.*** ***841 Mountain Highway*** ***Bayswater, Vic. 3153*** ***Australia***
Supplier Number (ERAC): E519	***Australian Business Number (ABN): 80005549477***

Herewith declare that the Products:	***DIN Rail Mount Timing Relays***
Product identification:	***Allen Bradley 700-FE and 700-FS Series*** *(reference the attached list of catalogue numbers)*

are in conformity with the following when installed in accordance with the installation instructions contained in the product documentation:

Radiocommunications Act:1992 (including Amendments up to 2018)

Radiocommunications (Electromagnetic Compatibility) Standard 2017

Radiocommunications Labeling (Electromagnetic Compatibility) Notice 2017

and that the standards and/or technical specifications referenced below have been applied:

EN 61812-1:2011	*Time relays for industrial and residential use - Part 1: Requirements and tests*

Compliance Folder is maintained at:	*Rockwell Automation Australia Ltd.* *841 Mountain Highway* *Bayswater, Vic. 3153* *Australia*
Document No.:	*AUS-0694-EN*

Signed for and on behalf of the above named Manufacturer:

Place and date of issue:	*Milwaukee, WI USA*	*16-Aug-2022*
Name, function:	*Daniel L. Nachtigall, Technical Leader – Product Compliance Engineering*	
Signature:		

Catalogue number	*Series*	*Description*
700-FSxxxx		*22.5mm High Performance Timing Relay per Nomenclature*
700-FExxxx		*17.5mm Economy Timing Relays per Nomenclature*

1) Products of the series level indicated, as well as succeeding series levels, are certified. If no series letter or number is given, then all series are certified.

MODEL NOMENCLATURE:

High Performance Timing Relays

700-FS	M	7	U	U23	
1	2	3	4	5	6

1	Designates Product Line 700-FS – 22.5mm High Performance Timing Relay
2	Designates Function A – On-Delay B – Off-Delay M – Multi-Function (On-Delay, Off-Delay, One Shot, Flasher) K – One Shot/Watch Dog Q – True Off-Delay Y – Star-delta
3	Designates Number of Contacts 6 – SPDT (all functions) 7 – DPDT (all functions) 8 – DPDT (M function)
4	Designates Timing Ranges Q – 0.05 sec – 10 min U – 0.05 sec – 300 hours
5	Designates Supply Voltage A40 – 380-440Vac U23 – 24-48Vdc, 24-240Vac U18 – 24-240Vac/dc
6	Ex Designator (Optional) -EX – Explosion Proof

Economy Timing Relays

700-FE	M	6	T	U23
1	2	3	4	5

1	Designates Product Line 700-FE – 17.5mm Economy Timing Relay
2	Designates Function A – On-Delay B – Off-Delay D – One Shot F – Flasher M – Multi-Function (On-Delay, Off-Delay, One Shot, Flasher) Y – Star-delta
3	Designates Number of Contacts 6 – SPDT (DPDT for 700-FEY6QU23 and 700-FEM6TZ12)
4	Designates Timing Ranges T – 0.05 sec – 100 hours Q – 0.05 sec – 10 minutes
5	Designates Supply Voltage U23 – 24-48Vdc, 24-240Vac Z12 – 12-240Vac/dc