CERTIFICATE OF COMPLIANCE

Certificate Number	20150805-E14840
Report Reference	E14840-19700723
Issue Date	2015-AUGUST-05
Issued to:	ROCKWELL AUTOMATION/ ALLEN-BRADLEY 1201 S 2ND ST MILWAUKEE WI 53204-2410
This is to certify that representative samples of	AUXILIARY DEVICES See Addendum Page
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 508, Industrial Control Equipment. CSA C22.2 NO 14-05, INDUSTRIAL CONTROL EQUIPMENT.
Additional Information:	See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	20150805-E14840
Report Reference	E14840-19700723
Issue Date	2015-AUGUST-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Pushbutton Units - Cat. No. 800H-, 800HC- or 800HS- may be followed by A, B, D or G, followed or not followed by R or M followed by a suffix number, followed or not followed by P or J, followed by additional letters or letters and numbers, Series A, C or F.

OPEN TYPE MOMENTARY CONTACT PUSHBUTTON NON-ILLUMINATED-WITH TWO COLOR MOLDED LEGEND CAPS

Cat. No. 800H or 800HC followed by -AR, or -BR, followed by -00, or any 3 digit number followed by a letter, followed by additional suffix letters or letters and numbers, Series A.

Maintained Pushbutton Units - Cat. No. 800H-, 800HC- or 800HS-FR or -CR may be followed by Y or Z, followed by A, B, E or J, followed by two suffix numbers, followed by additional letters or letters and numbers, Series A, C or F.

Selector Switch Units - Cat. No. 800H, 800HC- or 800HS- followed by H, J or N, followed by R, may be followed by a letter, followed by a one or two digit number, may be followed by K, may be followed by a letter/number combination, may be followed by additional letters and numbers, Series E or F.

Illuminated Pushbuttons and Pilot Lights - Cat. No. 800H- or 800HC-, PR, QR, or RR, PM, QM, or RM may be followed by A, B, M or MJ with or without a letter, or letters, followed by a one or two digit number, with or without a letter, followed by additional suffix letters or letters and numbers, Series F or G.

Illuminated Push-Pull Pushbutton Units, "F Series" Model(s) 800H- or 800HC-, -FRX- or -FMX-, optional suffix J, optional suffix M or N, followed by P, Q or R, followed by D, F, H or L, followed by a one or two digit number, with or without a letter, may be followed by letters and numbers.

Nonilluminated Push-Pull Pushbutton Units - Cat. No. 800H or 800HC, FRX or FMX with or without J, with or without M or N, with or without 1, 2, 3, 4, 6, 7 or 9, followed by additional suffix letters or letters and numbers, Series F.

Illuminated Twist-to-Release Pushbutton Units, "F Series" Model(s) 800H- or 800HC-, -FRX- or FMX-, followed by T, optional suffix J, followed by P, Q or R, followed by D, F, H or L, followed by a one or two digit number with or without a letter, may be followed by letters and numbers.

Nonilluminated Twist-to-Release Pushbutton Units - Cat. No. 800H or 800HC, -FRX or FMX, with or without J, followed by T, with or without 1, 2, 3, 4, 6, 7 or 9, followed by additional suffix letters or letters and numbers, Series F.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	20150805-E14840
Report Reference	E14840-19700723
Issue Date	2015-AUGUST-05

Push-to-Test Pilot Lights, "F Series" Model(s) 800H- or 800HC-PRT, -PMT, -QRT, -QMT, -RRT or -RMT, with or without one or two letters, followed by a one or two digit number, with or without a letter, may be followed by letters and numbers.

Open Type Illuminated Selector Switch - Cat. Nos. 800H or 800HC followed by one or two numbers followed by an H or J, may or may not be followed by an R or M, followed by a letter, may or may not be followed by an H or an N, followed by one or two numbers, may or may not be followed by a K and a letter and number, followed by 2 characters which may be a letter, a number or both, Series "F".

Flip Lever Switches
Cat. No. 800H-, 800HC- followed by WK6 or WK4, may be followed by a one or two digit number, followed by any combinations of letters and/or numbers, followed by series letter D.

Complete Stations - Cat. No. 800H, 800HC or 800HS- followed by 1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H, R2H or R3H, followed by a suffix letter, with or without M with or without a letter or a number/letter combination, followed by 4R, 4RL, 4T or 4TL, with or without W or G, with or without a letter/number combination, Series A, B, C or D.

Enclosures - Cat. No. 800H, followed by 1 through 8, followed by HZ4 or HZ4R, may or may not be followed by a letter/number combination, Series A, B, C, N or P.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/