Certificate of Compliance

Certificate: 1172520 **Master Contract:** 150062

Project: 80009501 **Date Issued:** 2019-07-11

Issued To: **Rockwell Automation, Inc.**
1201 South Second St.
Milwaukee, Wisconsin, 53204
United States

Attention: Mr. Rohit Kumar Chivakula

The products listed below are eligible to bear the CSA Mark shown

Issued by: *Thomas Munteanu*
Thomas Munteanu

PRODUCTS

CLASS - C321103 - INDUSTRIAL CONTROL EQUIPMENT Motor Controllers - Auxiliary Devices

Bulletin 800T and 800H, open type, pilot lights, push-to-test pilot lights, illuminated and non-illuminated push-pull and twist-to-release devices, key-release push buttons rated 600V or less ac/dc to cover the change from slide base assemblies to bayonet base assemblies.

Notes:
1. These devices may be housed in general purpose (Encl Type 1) or special purpose (CSA Encl Type 3, 4 or 13) enclosures.
2. Certified as open type for use only in certified equipment where the acceptability of combination is to be determined by CSA International.

APPLICABLE REQUIREMENTS

CSA-C22.2 No. 14-13	-	Industrial Control Equipment
CAN/CSA-C22.2 No. 94-M91	-	Special Purpose Enclosures

© 2018 CSA Group. All rights reserved.

MARKINGS

The submittor's name, tradename and/or registered trademark, catalogue designation, Encl. Type 1 or 3, or 4, or 13, complete electrical rating and the CSA Mark.

© 2018 CSA Group. All rights reserved.

Supplement to Certificate of Compliance

Certificate: 1172520 **Master Contract:** 150062

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80009501	2019-07-11	Addition of revised label to show 130V ac/dc maximum voltage for models 800T-QTH2R.
000070037951	2015-07-09	Update Report 1172520 to add yellow lens.
000070009241	2014-08-06	Update to the report to alternate construction/nomenclature with LED.
0002563793	2012-11-05	Addition of Key-release push buttons Bulletin 800T (suffix -TFX); non-illuminated and illuminated push-pull and twist-to-release devices Bulletin 800T or 800H (sufffix -TFX or TFRX), and suitable for enclosure Type 4 and 13.
0002152653	2009-03-17	Alternate gasket material Shinetec.
0001822879	2006-08-16	Pushbuttons, to Cover Alternate Gasket Material Shinetic NB5002LT.
0001797646	2006-05-30	Alternate operating head material.
LR 1234-480	1987-11-09	Original certification.

© 2018 CSA Group. All rights reserved.