CERTIFICATE OF COMPLIANCE

Certificate Number	UL-US-L14840-1242-10205591-2
Report Reference	E14840-19550201
Date	10-Mar-2022
Issued to:	Rockwell Automation Inc. 1201 S 2nd St Milwaukee, WI 53204-2410 United States
This is to certify that representative samples of	NKCR - Auxiliary Devices See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 508, 18th Ed., Issue Date: 2018-03-30
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L14840-1242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A Series, 800T-NL32	Auxiliary Devices
A Series, 800TC-NL10	Auxiliary Devices
D Series, 800T- or 800TC-, followed by XAV, XD1V, XD2V.	Auxiliary Devices
A or T Series, 800T-NX####	Auxiliary Devices
A Series, 800TC-NL32	Auxiliary Devices
C Series, 800T- or 800TC-, followed by NXM or NXN.	Auxiliary Devices
A Series, 800TC-XD4S	Auxiliary Devices
E Series, 800T- or 800TC-, followed by XD3V, XD4V.	Auxiliary Devices
800T-NX1531	Auxiliary Devices
E Series, 800TC-XA1	Auxiliary Devices
A Series, 800T-NL10	Auxiliary Devices
A Series, 800TC-NL24	Auxiliary Devices
C or D Series, 800T- or 800TC-, followed by XA1, XA2, XA4, XA7.	Auxiliary Devices
E Series, 800T-XA1	Auxiliary Devices
E Series, 800T- or 800TC-, followed by XD3 or XD4.	Auxiliary Devices
A Series, 800H- or 800HC-, -TFRX-, with or without E, J, or JE, with T, followed by 6.*	Auxiliary Devices
L, M or T Series, 800T-, followed by 1 thru 16, with or without suffix letters or numbers, followed by TZ or THZ, with or without A, B, C, M10 or M11.*	Auxiliary Devices
A, B, N or T Series, 800T- or 800TC-, -FX-, optional suffix J, optional suffix JE, optional suffix M or N, followed by P, Q or R, optional suffix F, H or L, followed by a two-digit number, with or without a letter.*	Auxiliary Devices
L, N or T Series, 800T-, followed by 2 or 3, followed by a letter.	Auxiliary Devices
L, N or T Series, 800TC-, followed by 2 or 3, followed by a letter.	Auxiliary Devices
L, N or T Series, -RT, followed by 2 or 3, followed by a letter.	Auxiliary Devices
A, F, N or T Series, 800T- or 800TC-, -H- or -J-, with or without A, B, C, D, E, F, G or X followed by one, two or three numbers, may be followed by two numbers.*	Auxiliary Devices
A Series, 800H-, followed by AR or BR, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800HC-, followed by AR or BR, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L14840-1242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

A or N Series, 800T-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices
A or N Series, 800TC-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices
A or N Series, -E-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices
A Series, 800H-, 800HC-, -TFRX-, with or without E, J, or JE, followed by T, followed by DTH, PH, QH or S, followed by 00, 2, 16, 26, 76, 46 or 56, followed by r.*	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, with or without E, J, JE, L or LE, with T, followed by 6.*	Auxiliary Devices
D Series, 800H-, followed by WK6 or WK4, may be followed by a one or two number.*	Auxiliary Devices
D Series, 800HC-, followed by WK6 or WK4, may be followed by a one or two number.*	Auxiliary Devices
A Series, 800T, followed by -A, or -B, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800TC-, followed by -A, or -B, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800TC-, f/b XA, XB, XC, XF, XH, XJ, XK, XS or XT, with or without additional suffix numbers.	Auxiliary Devices
A Series, 800T-, f/b XA, XB, XC, XF, XH, XJ, XK, XS or XT, with or without additional suffix numbers.	Auxiliary Devices
C or D Series, 800TC-, followed by XA, XD1, XD2, XD3 or XD4	Auxiliary Devices
C or D Series, 800T-, followed by XA, XD1, XD2, XD3 or XD4	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, followed by K, followed by a two digit number, followed by 6.*	Auxiliary Devices
A, N, P or T Series, 800T- or 800TC-, -T-, followed by 1, 2, 3 or 4, followed by a letter, followed by a number.*	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, -R-, followed by 2 or 3, followed by T, followed by a letter.	Auxiliary Devices
A Series, 800TN-, followed by 325 thru 334, may be followed by L or Y.	Auxiliary Devices
A Series, 800TCN-, followed by 325 thru 334, may be followed by L or Y.	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, with or without E, J or JE, followed by T, followed by DTH, PH, QH or S, followed by 00, 2, 16, 26, 76, 46 or 56, followed by r.*	Auxiliary Devices
N, P or T Series, 800T- or 800TC-, -F- or -G-, may be followed by Y or Z, followed by a letter, may be followed by P, followed by 0 thru 9, followed by 0 thru 9, with or	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L14840-1242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

without E, followed by a two-digit number, followed by a letter or letter-number combination.	
N or T Series, 800T- or 800TC-, followed by FX or FXJ, followed by T, may be followed by 1, 2, 3, 4, 6, 7 or 9.*	Auxiliary Devices
800T-NX1530	Auxiliary Devices
B, N or T Series, 800T, followed by P, Q or R, followed by T, TF, TH or TL, followed by a one or two-digit number, with or without a suffix letter, with or without additional suffix designations.	Auxiliary Devices
B, N or T Series, 800TC-, followed by P, Q or R, followed by T, TF, TH or TL, followed by a one or two-digit number, with or without a suffix letter, with or without additional suffix designations.	Auxiliary Devices
A, B, N or T Series, 800T-, followed by FX, may be followed by J, JE, L, LE or C, may be followed by M or N, may be followed by 1, 2, 3, 4, 6, 7, 8 or 9.*	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, f/b 1, 2, 3, 4, 6 or 9, f/b T, followed by a letter, with or without 2, with or without G, M, R, P, V, W or Y, with or without M1.	Auxiliary Devices
A, B, N or T Series, 800TC-, followed by FX, may be followed by J, JE, L, LE or C, may be followed by M or N, may be followed by 1, 2, 3, 4, 6, 7, 8 or 9.*	Auxiliary Devices
A, B, N or T Series, 800T- or 800TC-, followed by P, Q or R, with or without F, H or L, followed by a one or two-digit number, may be followed by a letter.*	Auxiliary Devices
A, F, N or T Series, 800T- or 800TC-, -H-, -J-, or -N-, with or without A, B, C, D, E, F, G or X, followed by one, two or three suffix numbers, with or without a two digit number, followed by K, followed by a letter/number combination, followed by up to four letters.	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, followed by 1, 2, 3, 4, 6 or 9, followed by a letter, followed by T, with or without 2, with or without G, M, R, P, V, W or Y, with or without M1.	Auxiliary Devices
N or T Series, 800T- or 800TC-, followed by FX, FXJ or FXJE, may be followed by T, may be followed by D, DH, DT, DTH, P, PF, PH, Q, QH or R, followed by a one or two-digit number, may be followed by a letter.*	Auxiliary Devices
T Series, 800T- or 800TC-, -NX-, followed by one, two, three or four numbers, followed by a letter.	Auxiliary Devices
A, B, N, T or U Series, 800T- or 800TC-, followed by P, Q or R, followed by A, B, M, MB or MJ, with or without F, H, L or TL, followed by a one or two-digit number, with or without a suffix letter.*	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L14840-1242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

A, C, N or T Series, 800T- or 800TC-, -A, -B or -D, may be followed by 1, 2, 3, 4, 5, 6, 7 or 9, may be followed by J or L, with or without P.*	Auxiliary Devices
A, N, P, R or T Series, 800T- or 800TC-, -K-, with or without a letter.*	Auxiliary Devices
A Series, 800T-NL24	Auxiliary Devices
B or D Series, 800T- or 800TC-, followed by XD5 or XD6.	Auxiliary Devices
L, M or T Series, 800T- followed by 1 thru 16, followed by ZT, ZTY, or ZTH, Series L, M, or T	Auxiliary Devices
L, M or T Series, 800T- followed by 1 thru 16, followed by TZ, TZY, or THZ, with or without A, B, C, M10 or M11 with or without suffixes, Series L, M or T.	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-CA-L14840-3242-10205591-2
Report Reference	E14840-19550201
Date	10-Mar-2022
Issued to:	Rockwell Automation Inc. 1201 S 2nd St Milwaukee, WI 53204-2410 United States
This is to certify that representative samples of	NKCR7 - Auxiliary Devices Certified for Canada See Addendum Page for Product Designation(s). Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L14840-3242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
B or D Series, 800T- or 800TC-, followed by XD5 or XD6.	Auxiliary Devices
A Series, 800TC-NL10	Auxiliary Devices
D Series, 800T- or 800TC-, followed by XAV, XD1V, XD2V.	Auxiliary Devices
A Series, 800T-NL32	Auxiliary Devices
A or T Series, 800T-NX####	Auxiliary Devices
A Series, 800TC-NL32	Auxiliary Devices
A Series, 800TC-XD4S	Auxiliary Devices
C Series, 800T- or 800TC-, followed by NXM or NXN.	Auxiliary Devices
800T-NX1531	Auxiliary Devices
E Series, 800TC-XA1	Auxiliary Devices
A Series, 800TC-NL24	Auxiliary Devices
E Series, 800T- or 800TC-, followed by XD3V, XD4V.	Auxiliary Devices
E Series, 800T- or 800TC-, followed by XD3 or XD4.	Auxiliary Devices
E Series, 800T-XA1	Auxiliary Devices
A Series, 800T-NL10	Auxiliary Devices
C or D Series, 800T- or 800TC-, followed by XA1, XA2, XA4, XA7.	Auxiliary Devices
A, B, N or T Series, 800T-, followed by FX, may be followed by J, JE, L, LE or C, may be followed by M or N, may be followed by 1, 2, 3, 4, 6, 7, 8 or 9.*	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, f/b 1, 2, 3, 4, 6 or 9, f/b T, followed by a letter, with or without 2, with or without G, M, R, P, V, W or Y, with or without M1.	Auxiliary Devices
A, B, N or T Series, 800TC-, followed by FX, may be followed by J, JE, L, LE or C, may be followed by M or N, may be followed by 1, 2, 3, 4, 6, 7, 8 or 9.*	Auxiliary Devices
A, B, N or T Series, 800T- or 800TC-, followed by P, Q or R, with or without F, H or L, followed by a one or two-digit number, may be followed by a letter.*	Auxiliary Devices
A, F, N or T Series, 800T- or 800TC-, -H-, -J-, or -N-, with or without A, B, C, D, E, F, G or X, followed by one, two or three suffix numbers, with or without a two digit number, followed by K, followed by a letter/number combination, followed by up to four letters.	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, followed by 1, 2, 3, 4, 6 or 9, followed by a letter, followed by T, with or	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L14840-3242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

without 2, with or without G, M, R, P, V, W or Y, with or without M1.	
N or T Series, 800T- or 800TC-, followed by FX, FXJ or FXJE, may be followed by T, may be followed by D, DH, DT, DTH, P, PF, PH, Q, QH or R, followed by a one or two-digit number, may be followed by a letter.*	Auxiliary Devices
T Series, 800T- or 800TC-, -NX-, followed by one, two, three or four numbers, followed by a letter.	Auxiliary Devices
A, B, N, T or U Series, 800T- or 800TC-, followed by P, Q or R, followed by A, B, M, MB or MJ, with or without F, H, L or TL, followed by a one or two-digit number, with or without a suffix letter.*	Auxiliary Devices
A, C, N or T Series, 800T- or 800TC-, -A, -B or -D, may be followed by 1, 2, 3, 4, 5, 6, 7 or 9, may be followed by J or L, with or without P.*	Auxiliary Devices
A Series, 800H- or 800HC-, -TFRX-, with or without E, J, or JE, with T, followed by 6.*	Auxiliary Devices
L, M or T Series, 800T-, followed by 1 thru 16, with or without suffix letters or numbers, followed by TZ or THZ, with or without A, B, C, M10 or M11.*	Auxiliary Devices
A, B, N or T Series, 800T- or 800TC-, -FX-, optional suffix J, optional suffix JE, optional suffix M or N, followed by P, Q or R, optional suffix F, H or L, followed by a two-digit number, with or without a letter.*	Auxiliary Devices
L, N or T Series, 800T-, followed by 2 or 3, followed by a letter.	Auxiliary Devices
L, N or T Series, 800TC-, followed by 2 or 3, followed by a letter.	Auxiliary Devices
L, N or T Series, -RT, followed by 2 or 3, followed by a letter.	Auxiliary Devices
A, F, N or T Series, 800T- or 800TC-, -H- or -J-, with or without A, B, C, D, E, F, G or X followed by one, two or three numbers, may be followed by two numbers.*	Auxiliary Devices
A Series, 800H-, followed by AR or BR, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800HC-, followed by AR or BR, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A or N Series, 800T-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices
A or N Series, 800TC-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices
A or N Series, -E-, followed by a two digit number, may be followed by a two digit number, followed by J or M, with or without a number.*	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L14840-3242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

A Series, 800H-, 800HC-, -TFRX-, with or without E, J, or JE, followed by T, followed by DTH, PH, QH or S, followed by 00, 2, 16, 26, 76, 46 or 56, followed by r.*	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, with or without E, J, JE, L or LE, with T, followed by 6.*	Auxiliary Devices
D Series, 800H-, followed by WK6 or WK4, may be followed by a one or two number.*	Auxiliary Devices
D Series, 800HC-, followed by WK6 or WK4, may be followed by a one or two number.*	Auxiliary Devices
A Series, 800T, followed by -A, or -B, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800TC-, followed by -A, or -B, followed by -00 or any 3 digit number followed by a letter.*	Auxiliary Devices
A Series, 800TC-, f/b XA, XB, XC, XF, XH, XJ, XK, XS or XT, with or without additional suffix numbers.	Auxiliary Devices
A Series, 800T-, f/b XA, XB, XC, XF, XH, XJ, XK, XS or XT, with or without additional suffix numbers.	Auxiliary Devices
C or D Series, 800TC-, followed by XA, XD1, XD2, XD3 or XD4	Auxiliary Devices
C or D Series, 800T-, followed by XA, XD1, XD2, XD3 or XD4	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, followed by K, followed by a two digit number, followed by 6.*	Auxiliary Devices
A, N, P or T Series, 800T- or 800TC-, -T-, followed by 1, 2, 3 or 4, followed by a letter, followed by a number.*	Auxiliary Devices
L, N or T Series, 800T- or 800TC-, -R-, followed by 2 or 3, followed by T, followed by a letter.	Auxiliary Devices
A Series, 800TN-, followed by 325 thru 334, may be followed by L or Y.	Auxiliary Devices
A Series, 800TCN-, followed by 325 thru 334, may be followed by L or Y.	Auxiliary Devices
A Series, 800T- or 800TC-, -TFX-, with or without E, J or JE, followed by T, followed by DTH, PH, QH or S, followed by 00, 2, 16, 26, 76, 46 or 56, followed by r.*	Auxiliary Devices
N, P or T Series, 800T- or 800TC-, -F- or -G-, may be followed by Y or Z, followed by a letter, may be followed by P, followed by 0 thru 9, followed by 0 thru 9, with or without E, followed by a two-digit number, followed by a letter or letter-number combination.	Auxiliary Devices
N or T Series, 800T- or 800TC-, followed by FX or FXJ, followed by T, may be followed by 1, 2, 3, 4, 6, 7 or 9.*	Auxiliary Devices
B, N or T Series, 800T, followed by P, Q or R, followed by T, TF, TH or TL, followed by a one or two-digit number, with or without a suffix letter, with or without additional suffix designations.	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L14840-3242-10205591-2
Report Reference E14840-19550201
Date 10-Mar-2022

B, N or T Series, 800TC-, followed by P, Q or R, followed by T, TF, TH or TL, followed by a one or two-digit number, with or without a suffix letter, with or without additional suffix designations.	Auxiliary Devices
A, N, P, R or T Series, 800T- or 800TC-, -K-, with or without a letter.*	Auxiliary Devices
800T-NX1530	Auxiliary Devices
A Series, 800T-NL24	Auxiliary Devices
L, M or T Series, 800T- followed by 1 thru 16, followed by ZT, ZTY, or ZTH, Series L, M, or T	Auxiliary Devices
L, M or T Series, 800T- followed by 1 thru 16, followed by TZ, TZY, or THZ, with or without A, B, C, M10 or M11 with or without suffixes, Series L, M or T.	Auxiliary Devices

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/